

# RPN Keyboard Commands v1.1

CALCULATOR				
Keyboard	RPN-45	RPN-65	RPN-67	RPN-97
?	<b>Calculator Keys</b>	<b>Help</b> (Calculator)	<b>Help</b> (Calculator)	<b>Help</b> (Calculator)
^ ?	<b>Calculator Keys</b>	<b>Help</b> (Card Manager)	<b>Help</b> (Card Manager)	<b>Help</b> (Card Manager)
⇧ ⌘ I	<b>Info</b>	<b>Info</b>	<b>Info</b>	<b>Info</b>
⇧ ⌘ K	<b>Stack Display</b>	<b>Stack Display</b>	<b>Stack Display</b>	
<i>Discoverable Commands (hold ⌘ to reveal)</i>				
⌘ ?	<b>Calculator Keys</b>	<b>Calculator Keys</b>	<b>Calculator Keys</b>	<b>Calculator Keys</b>
⌘ S	<b>Settings</b>	<b>Settings</b>	<b>Settings</b>	<b>Settings</b>
⇧ ⌘ S	<b>Toggle Separators</b>	<b>Toggle Separators</b>	<b>Toggle Separators</b>	<b>Toggle Separators</b>
⌘ R	<b>Registers</b>	<b>Registers</b>	<b>Registers</b>	<b>Registers</b>
⌘ W	<b>View</b>	<b>View</b>	<b>View</b>	<b>View</b>
⌘ I	<b>Info</b>	<b>Instructions</b>	<b>Instructions</b>	<b>Instructions</b>
⌘ L		<b>Listing</b>	<b>Listing</b>	<b>Listing</b>
⌘ J	<b>Complex Mode</b>		<b>Complex Mode</b>	<b>Complex Mode</b>
⌘ P	<b>Show/Hide Printer</b>	<b>W/PRGM-RUN</b>	<b>W/PRGM-RUN</b>	<b>PRGM-RUN</b>
⌘ K	<b>Stack Display</b>	<b>Stack Display</b>	<b>CC</b>	<b>CC</b>
⌘ O			<b>OP</b>	<b>OP</b>
⌘ T	<b>TXT</b>	<b>TXT</b>	<b>TXT</b>	<b>TXT</b>
⇧ ⌘ T	<b>Timer Mode on/off</b>		<b>TEXT Helper</b>	<b>TEXT Helper</b>
⌘ M	<b>Manual (Ref. Guide)</b>	<b>Card Manager</b>	<b>Card Manager</b>	<b>Card Manager</b>
<i>Other Commands</i>				
⇧ ^ ⌘ O	<b>OFF/ON</b>	<b>OFF/ON</b>	<b>OFF/ON</b>	<b>OFF/ON</b>
⇧ ^ ⌘ N	<b>Reset Calculator</b>	<b>New Program</b>	<b>New Program</b>	<b>New Program</b>
⇧ ⌘ N		<b>Clear Program</b>	<b>Clear Program</b>	<b>Clear Program</b>
⇧ ^ ⌘ S	<b>STO registers in backup</b>			
⇧ ^ ⌘ R	<b>RCL registers from backup</b>			
⇧ ^ ⌘ <	<b>Exchange registers with backup</b>			
⇧ ⌘ ☒	<b>Erase Paper</b>	<b>Erase Paper</b>	<b>Erase Paper</b>	<b>Erase Paper</b>
⌘ ☒	<b>CLx</b>	<b>CLx</b>	<b>CLx</b>	<b>CLx</b>
⌘ ☒	<b>CLR A</b>	<b>DEL</b>	<b>DEL</b>	<b>DEL</b>
^ ⌘ ☒	<b>CLR A</b>	<b>Clear Stack &amp; Main Regs</b>	<b>Clear Stack &amp; Main Regs</b>	<b>Clear Stack &amp; Main Regs</b>
⇧ ^ ⌘ ☒	<b>CLR A</b>	<b>Clear Stack &amp; All Regs</b>	<b>Clear Stack &amp; All Regs</b>	<b>Clear Stack &amp; All Regs</b>
⇧ ^ S	<b>Share</b>	<b>Share</b>	<b>Share</b>	<b>Share</b>
^ ↵	<b>Dismiss Share</b>	<b>Dismiss Share</b>	<b>Dismiss Share</b>	<b>Dismiss Share</b>

## RPN Keyboard Commands v1.1

CALCULATOR				
Keyboard	RPN-45	RPN-65	RPN-67	RPN-97
⇧ ^ ↵	Dismiss Share	Dismiss Share	Dismiss Share	Dismiss Share
^ Tab		Eject Card	Eject Card	Eject Card
^ A...E		A...E	A...E	A...E
⇧ ^ A...E		a...e	a...e	a...e
▶	Gold → Purple → none	f → f <sup>1</sup> → g → none	f → g → h → none	f → EXT → none
◀	Purple → Gold → none	g → f <sup>1</sup> → f → none	h → g → f → none	EXT → f → none
▲	R↑	R↑	R↑	R↑
▼	R↓	R↓	R↓	R↓
↖ ▲		BST	BST	BST
↖ ▼		SST	SST	SST
⇧ ▲	Papertape top	Papertape top	Papertape top	Papertape top
⇧ ▼	Papertape bottom	Papertape bottom	Papertape bottom	Papertape bottom
^ ▲		Program top	Program top	Program top
^ ▼		Program bottom	Program bottom	Program bottom
^ ◀		Previous Label	Previous Label	Previous Label
^ ▶		Next Label	Next Label	Next Label
>	Swap Regs R0...R9	Swap R0..9 & RA..e	P≥S	P≥S
<	x≥y	x≥y	x≥y	x≥y
↵	ENTER	ENTER	ENTER	ENTER
A	ABS	ABS	ABS	ABS
C	CHS	CHS	CHS	CHS
E	EEX	EEX	EEX	EEX
F	Gold	f	f	f
⇧ F	Purple	f <sup>1</sup>	g	EXT
G	Purple	g	g	EXT
H	HYP		h	HYP
⇧ H	HYP		HYP	HYP
⇧ L	LN (also without ⇧)	LN	LN	LN
⇧ ^ L	LOG (also without ⇧)	LOG	LOG	LOG
M	→D.MS	→D.MS	H→H.MS	→H.MS
⇧ M	D.MS→	D.MS→	H.MS→H	H.MS→
N	n!	RTN	RTN	RTN
R	RCL	RCL	RCL	RCL
S	STO	STO	STO	STO
X	e <sup>x</sup>	e <sup>x</sup>	e <sup>x</sup>	e <sup>x</sup>

## RPN Keyboard Commands v1.1

CALCULATOR				
Keyboard	RPN-45	RPN-65	RPN-67	RPN-97
<b>^ X</b>	<b>10<sup>x</sup></b>	<b>10<sup>x</sup></b>	<b>10<sup>x</sup></b>	<b>10<sup>x</sup></b>
<b>Y</b>	<b>y<sup>x</sup></b>	<b>y<sup>x</sup></b>	<b>y<sup>x</sup></b>	<b>y<sup>x</sup></b>
<b>U</b>	<b>→P</b>	<b>→P</b>	<b>→P</b>	<b>→P</b>
<b>V</b>	<b>→R</b>	<b>→R</b>	<b>→R</b>	<b>→R</b>
<b>T</b>	<b>Set Time</b>	<b>GTO</b>	<b>GTO</b>	<b>GTO</b>
<b>Tab</b>	<b>R/S (Timer)</b>	<b>R/S</b>	<b>R/S</b>	<b>R/S</b>
<b>⌘ Tab</b>			<b>PAUSE</b>	<b>PAUSE</b>
<b>P</b>	<b>Print x</b>	<b>Print x</b>	<b>Print x</b>	<b>Print x</b>
<b>Space</b>	<b>Paper Feed</b>	<b>Paper Feed</b>	<b>Paper Feed</b>	<b>Paper Feed</b>
<b>⇧ Space</b>	<b>Print Space</b>	<b>Print Space</b>	<b>Print Space</b>	<b>Print Space</b>
<b>⇧ R</b>	<b>Print Registers</b>	<b>Print Registers</b>	<b>Print Registers</b>	<b>Print Registers</b>
<b>⇧ S</b>	<b>Print Stack</b>	<b>Print Stack</b>	<b>Print Stack</b>	<b>Print Stack</b>
<b>⇧ K</b>	<b>Stack Display</b>	<b>Stack Display</b>	<b>Stack Display</b>	<b>Toggle Registers</b>
<b>⇧ B</b>		<b>Print Labels &amp; Flags</b>	<b>Print Labels &amp; Flags</b>	<b>Print Labels &amp; Flags</b>
<b>⇧ P</b>		<b>Print Program</b>	<b>Print Program</b>	<b>Print Program</b>
<b>⇧ ^ P</b>		<b>Print Prog from Top</b>	<b>Print Prog from Top</b>	<b>Print Prog from Top</b>
<b>^L or L</b>		<b>LBL</b>	<b>LBL</b>	<b>LBL</b>
<b>⌘ ^ L</b>			<b>LBL f</b>	
<b>^G or B</b>		<b>GSB</b>	<b>GSB</b>	<b>GSB</b>
<b>⌘ ^ G or ⌘ B</b>			<b>GSB f</b>	
<b>⌘ G</b>		<b>GTO .</b>	<b>GTO .</b>	<b>GTO .</b>
<b>⌘ L</b>	<b>Last X</b>	<b>Last X</b>	<b>Last X</b>	<b>Last X</b>
<b>⌘ P</b>	<b>π</b>	<b>π</b>	<b>π</b>	<b>π</b>
<b>⌘ S</b>	<b>SIN</b>	<b>SIN</b>	<b>SIN</b>	<b>SIN</b>
<b>⌘ C</b>	<b>COS</b>	<b>COS</b>	<b>COS</b>	<b>COS</b>
<b>⌘ T</b>	<b>TAN</b>	<b>TAN</b>	<b>TAN</b>	<b>TAN</b>
<b>^ I</b>	<b>INT</b>	<b>INT</b>	<b>(i)</b>	<b>(i)</b>
<b>⇧ I</b>	<b>FRAC</b>	<b>FRAC</b>	<b>RC I</b>	<b>I</b>
<b>^⌘ I</b>	<b>Info</b>	<b>DSZ</b>	<b>DSZ (i)</b>	<b>DSZ (i)</b>
<b>⇧ ^⌘ I</b>		<b>DSZ</b>	<b>DSZ</b>	<b>DSZ I</b>
<b>^⌘ ⌘ I</b>			<b>ISZ (i)</b>	<b>ISZ (i)</b>
<b>⇧ ^⌘ ⌘ I</b>			<b>ISZ</b>	<b>ISZ I</b>
<b>I</b>	<b>1/x</b>	<b>1/x</b>	<b>1/x</b>	<b>1/x</b>
<b>Q</b>	<b>x<sup>2</sup></b>	<b>x<sup>2</sup></b>	<b>x<sup>2</sup></b>	<b>x<sup>2</sup></b>
<b>O</b>	<b>√x</b>	<b>√x</b>	<b>√x</b>	<b>√x</b>

## RPN Keyboard Commands v1.1

CALCULATOR				
Keyboard	RPN-45	RPN-65	RPN-67	RPN-97
%	%	%	%	%
$\curlywedge$ %	$\Delta$ %	% <i>CH</i>	% <b>CH</b>	% <b>CH</b>
<b>D</b>	$\Delta$ %	<b>DSP</b>	<b>DSP</b>	<b>DSP</b>
<b>\$</b>	$\Sigma$ +	<b>ABS</b>	$\Sigma$ +	$\Sigma$ +
$\wedge$ <b>\$</b>	$\Sigma$ -	<b>NOP</b>	$\Sigma$ -	$\Sigma$ -
$\wedge$ 1 / 2 / 3	Ribbon blk / blu /grn	Ribbon blk / blu /grn	Ribbon blk / blu /grn	Ribbon blk / blu /grn
$\wedge$ <b>P</b>	<b>Paper Mode</b>	<b>Paper Mode</b>	<b>Paper Mode</b>	<b>Paper Mode</b>
$\wedge$ <b>M</b>	<b>MAN</b>	<b>MAN</b>	<b>MAN</b>	<b>MAN</b>
$\wedge$ <b>T</b>	<b>TRACE</b>	<b>TRACE</b>	<b>TRACE</b>	<b>TRACE</b>
$\wedge$ <b>N</b>	<b>NORM</b>	<b>NORM</b>	<b>NORM</b>	<b>NORM</b>
$\wedge$ <b>S</b>	<b>Print Stack</b>	<b>Step Display on/off</b>	<b>Step Display on/off</b>	<b>Step Display on/off</b>
$\wedge$ $\curlywedge$ <b>F</b>	<b>FIX</b>	<b>DSP .</b>	<b>FIX</b>	<b>FIX</b>
$\wedge$ $\curlywedge$ <b>S</b>	<b>SCI</b>	<b>DSP</b>	<b>SCI</b>	<b>SCI</b>
$\wedge$ $\curlywedge$ <b>E</b>	<b>ENG</b>	<b>DSP +</b>	<b>ENG</b>	<b>ENG</b>

## RPN Keyboard Commands v1.1

CARD MANAGER		
Keyboard	RPN-65/67/97	Notes
⌘ ▲ or ▼	<b>Previous or Next Card</b>	Works on full list or search results
⌘ ◀ or ▶	<b>Previous or Next Category</b>	First card of current or previous category <i>or</i> First card of next category or last card of last category
⌘ ⌘ ▲ or ◀	<b>Top Card</b>	First card of first category
⌘ ⌘ ▶ or ▼	<b>Toggle Prog/Data Card</b>	Change from program to data cards, and vice versa
⌘ F	<b>Find Card</b>	<b>Tab:</b> changes search scope ↩ : selects first search result
⌘ ↩	<b>Select Card</b>	Ends search mode and selects card
⌘ C	<b>Back to Calculator</b>	
⌘ L	<b>Load Card</b>	Also <b>Merge Card</b> (RPN-67/97)
⌘ W	<b>Write Card</b>	
⌘ D	<b>Edit Description</b>	Automatically unprotects card
⌘ P	<b>Edit Program or Registers</b>	<b>RUN:</b> Automatically unprotects card <b>W/PRGM:</b> Shows card or calculator content
⌘ I	<b>Edit Instructions or Notes</b>	Automatically unprotects card
⌘ ⌘ P	<b>Protect or Content</b>	<b>RUN:</b> Toggles card protection on/off <b>W/PRGM:</b> Shows card or calculator content
⌘ ?	<b>Keyboard Commands</b>	Show/hide list of <b>card detail commands</b> in <i>Instructions</i>

## RPN Keyboard Commands v1.1

TEXT Helper		
⌘ C	<b>Back to Calculator</b>	
⌘ S	<b>Quit &amp; Insert <i>or</i> Replace Text</b>	Stores text after defined step value
⌘ T	<b>Edit Text</b>	Start entering free text
⌘ ◀ <i>or</i> ▶	<b>Previous <i>or</i> Next Alignment</b>	
⌘ R	<b>First Register</b>	Allows entering start register value
⌘ F	<b>Fetch Text</b>	Gets existing text at start register
⌘ I	<b>Insert <i>or</i> Replace Code</b>	Allows entering step value
⌘ M	<b>Mode</b>	Toggles Insert/Replace mode
⌘ N	<b>Numeric Character</b>	Allows entering character value
⌘ U	<b>Use Character</b>	Adds character defined by value to text
⌘ L	<b>List of Characters</b>	Displays list of character values
⌘ I	<b>Edit Instructions <i>or</i> Notes</b>	Automatically unprotects card
⌘ P	<b>PLOT C Position</b>	Allows entering line position for PLOT C command
⌘ O	<b>OP TEXT</b>	Adds or removes OP TEXT code

## RPN Keyboard Commands v1.1

OFTEN-USED COMMANDS ( <i>RPN-65/67/97</i> )		
Command	Keys	Notes
New Program	⇧ ^ ⌘ N	Turns calc on, ejects card, sets W/PRGM mode, clears program memory
Clear Program	⇧ ⌘ N	Sets W/PRGM mode, clears program memory
LBL A	^L A	Hold <b>control</b> key depressed, then type <b>L A</b>
LBA a	^L ⇧A	Press <b>control</b> , type <b>L</b> , add <b>shift</b> , type <b>A</b> ( <i>RPN-65 and -97 only</i> )
	^⌘ L ^A	Press <b>control &amp; option</b> , type <b>L</b> , release <b>option</b> , type <b>A</b> ( <i>RPN-67 only</i> )
GSB C	^C	
	B ^C	
GSB c	⇧ ^C	( <i>RPN-65, -67 and -97</i> )
	B ⇧ ^C	( <i>RPN-65 and -97 only</i> )
	⌘ B ^C	( <i>RPN-67 only</i> )
LBL 1	L 1	
GSB 2	B 2	
GTO 3	T 3	
GTO.123	⌘ G 1 2 3	Go to step 123 (Press <b>option</b> , type <b>G</b> , release keys, type <b>1 2 3</b> )
RTN	N	
BST	⌘▲	
SST	⌘▼	
Prev Label	^ ◀	Works in both RUN and PRGM mode
Next Label	^ ▶	Works in both RUN and PRGM mode
Step 000	^▲	Also ⌘ G 0 0 0 (Press <b>option</b> , type <b>G</b> , release keys, type <b>0 0 0</b> )
Last Step	^▼	Also ⌘ G . (Press <b>option</b> , type <b>G</b> , release keys, type decimal point)

### NOTES

- If some keys don't work as expected: make sure the **language** of the keyboard and the iPad match (press globe key left of the control-key to change)
- **Common shortcuts** are also available:
  - ⌘ C      Copy
  - ⌘ X      Cut
  - ⌘ V      Paste
  - ⌘ . or Esc    Cancel
- ☒ = delete, ↵ = return