

## RPN Keyboard Commands v1.2

CALCULATOR				
Keyboard	RPN-45	RPN-65	RPN-67	RPN-97
<b>?</b>	<b>Calculator Keys</b>	<b>Help</b> (Calculator)	<b>Help</b> (Calculator)	<b>Help</b> (Calculator)
<b>^ ?</b>	<b>Calculator Keys</b>	<b>Help</b> (Card Manager)	<b>Help</b> (Card Manager)	<b>Help</b> (Card Manager)
<b>⇧ ⌘ I</b>	<b>Info</b>	<b>Info</b>	<b>Info</b>	<b>Info</b>
<b>⇧ ⌘ K</b>	<b>Stack Display</b>	<b>Stack Display</b>	<b>Stack Display</b>	
<i>Discoverable Commands (hold ⌘ to reveal)</i>				
<b>⌘ ?</b>	<b>Calculator Keys</b>	<b>Calculator Keys</b>	<b>Calculator Keys</b>	<b>Calculator Keys</b>
<b>⌘ S</b>	<b>Settings</b>	<b>Settings</b>	<b>Settings</b>	<b>Settings</b>
<b>⇧ ⌘ S</b>	<b>Toggle Separators</b>	<b>Toggle Separators</b>	<b>Toggle Separators</b>	<b>Toggle Separators</b>
<b>⌘ R</b>	<b>Registers</b>	<b>Registers</b>	<b>Registers</b>	<b>Registers</b>
<b>⌘ W</b>	<b>View</b>	<b>View</b>	<b>View</b>	<b>View</b>
<b>⌘ I</b>	<b>Info</b>	<b>Instructions</b>	<b>Instructions</b>	<b>Instructions</b>
<b>⌘ L</b>		<b>Listing</b>	<b>Listing</b>	<b>Listing</b>
<b>⌘ J</b>	<b>Complex Mode</b>		<b>Complex Mode</b>	<b>Complex Mode</b>
<b>⌘ P</b>	<b>Show/Hide Printer</b>	<b>W/PRGM-RUN</b>	<b>W/PRGM-RUN</b>	<b>PRGM-RUN</b>
<b>⌘ K</b>	<b>Stack Display</b>	<b>Stack Display</b>	<b>CC</b>	<b>CC</b>
<b>⌘ O</b>			<b>OP</b>	<b>OP</b>
<b>⌘ T</b>	<b>TXT</b>	<b>TXT</b>	<b>TXT</b>	<b>TXT</b>
<b>⇧ ⌘ T</b>	<b>Timer Mode on/off</b>		<b>TEXT Helper</b>	<b>TEXT Helper</b>
<b>⌘ M</b>	<b>Manual (Ref. Guide)</b>	<b>Card Manager</b>	<b>Card Manager</b>	<b>Card Manager</b>
<i>Other Commands</i>				
<b>⇧ ^ ⌵ O</b>	<b>OFF/ON</b>	<b>OFF/ON</b>	<b>OFF/ON</b>	<b>OFF/ON</b>
<b>⇧ ^ ⌵ N</b>	<b>Reset Calculator</b>	<b>New Program</b>	<b>New Program</b>	<b>New Program</b>
<b>⇧ ⌵ N</b>		<b>Clear Program</b>	<b>Clear Program</b>	<b>Clear Program</b>
<b>⇧ ^ ⌵ S</b>	<b>STO registers in backup</b>			
<b>⇧ ^ ⌵ R</b>	<b>RCL registers from backup</b>			
<b>⇧ ^ ⌵ &lt;</b> <i>see NOTES</i>	<b>Exchange registers with backup</b>			
<b>⇧ ☒</b>	<b>Erase Paper</b>	<b>Erase Paper</b>	<b>Erase Paper</b>	<b>Erase Paper</b>
<b>☒</b>	<b>CLx</b>	<b>CLx</b>	<b>CLx</b>	<b>CLx</b>
<b>⌵ ☒</b>	<b>CLR A</b>	<b>DEL</b>	<b>DEL</b>	<b>DEL</b>
<b>^ ⌵ ☒</b>	<b>CLR A</b>	<b>Clear Stack &amp; Main Regs</b>	<b>Clear Stack &amp; Main Regs</b>	<b>Clear Stack &amp; Main Regs</b>

## RPN Keyboard Commands v1.2

CALCULATOR				
Keyboard	RPN-45	RPN-65	RPN-67	RPN-97
$\hat{\square}$ $\wedge$ $\backslash$ $\boxtimes$	CLR A	Clear Stack & All Regs	Clear Stack & All Regs	Clear Stack & All Regs
$\hat{\square}$ $\wedge$ S	Share	Share	Share	Share
$\wedge$ $\hookrightarrow$	Dismiss Share	Dismiss Share	Dismiss Share	Dismiss Share
$\hat{\square}$ $\wedge$ $\hookrightarrow$	Dismiss Share	Dismiss Share	Dismiss Share	Dismiss Share
$\wedge$ Tab		Eject Card	Eject Card	Eject Card
$\wedge$ A...E		A...E	A...E	A...E
$\hat{\square}$ $\wedge$ A...E		a...e	a...e	a...e
$\blacktriangleright$	Gold $\rightarrow$ Purple $\rightarrow$ none	f $\rightarrow$ f <sup>1</sup> $\rightarrow$ g $\rightarrow$ none	f $\rightarrow$ g $\rightarrow$ h $\rightarrow$ none	f $\rightarrow$ EXT $\rightarrow$ none
$\blacktriangleleft$	Purple $\rightarrow$ Gold $\rightarrow$ none	g $\rightarrow$ f <sup>1</sup> $\rightarrow$ f $\rightarrow$ none	h $\rightarrow$ g $\rightarrow$ f $\rightarrow$ none	EXT $\rightarrow$ f $\rightarrow$ none
$\blacktriangleup$	R $\uparrow$	R $\uparrow$	R $\uparrow$	R $\uparrow$
$\blacktriangledown$	R $\downarrow$	R $\downarrow$	R $\downarrow$	R $\downarrow$
$\backslash$ $\blacktriangleup$		BST	BST	BST
$\backslash$ $\blacktriangledown$		SST	SST	SST
$\hat{\square}$ $\blacktriangleup$	Papertape top	Papertape top	Papertape top	Papertape top
$\hat{\square}$ $\blacktriangledown$	Papertape bottom	Papertape bottom	Papertape bottom	Papertape bottom
$\wedge$ $\blacktriangleup$		Program top	Program top	Program top
$\wedge$ $\blacktriangledown$		Program bottom	Program bottom	Program bottom
$\wedge$ $\blacktriangleleft$		Previous Label	Previous Label	Previous Label
$\wedge$ $\blacktriangleright$		Next Label	Next Label	Next Label
> (see NOTES)	Swap Regs R0...R9	Swap R0..9 & RA..e	P $\geq$ S	P $\geq$ S
< (see NOTES)	x $\geq$ y	x $\geq$ y	x $\geq$ y	x $\geq$ y
$\hookrightarrow$	ENTER	ENTER	ENTER	ENTER
A	ABS	ABS	ABS	ABS
C	CHS	CHS	CHS	CHS
E	EEX	EEX	EEX	EEX
F	Gold	f	f	f
$\hat{\square}$ F	Purple	f <sup>1</sup>	g	EXT
G	Purple	g	g	EXT
H	HYP		h	HYP
$\hat{\square}$ H	HYP		HYP	HYP
$\hat{\square}$ L	LN (also without $\hat{\square}$ )	LN	LN	LN
$\hat{\square}$ $\wedge$ L	LOG (also without $\hat{\square}$ )	LOG	LOG	LOG

## RPN Keyboard Commands v1.2

CALCULATOR				
Keyboard	RPN-45	RPN-65	RPN-67	RPN-97
<b>M</b>	→D.MS	→D.MS	H→H.MS	→H.MS
<b>⇧ M</b>	D.MS→	D.MS→	H.MS→H	H.MS→
<b>N</b>	n!	RTN	RTN	RTN
<b>R</b>	RCL	RCL	RCL	RCL
<b>S</b>	STO	STO	STO	STO
<b>X</b>	e <sup>x</sup>	e <sup>x</sup>	e <sup>x</sup>	e <sup>x</sup>
<b>^ X</b>	10 <sup>x</sup>	10 <sup>x</sup>	10 <sup>x</sup>	10 <sup>x</sup>
<b>Y</b>	y <sup>x</sup>	y <sup>x</sup>	y <sup>x</sup>	y <sup>x</sup>
<b>U</b>	→P	→P	→P	→P
<b>V</b>	→R	→R	→R	→R
<b>T</b>	Set Time	GTO	GTO	GTO
<b>Tab</b>	R/S (Timer)	R/S	R/S	R/S
<b>⇧ Tab</b>			PAUSE	PAUSE
<b>P</b>	Print x	Print x	Print x	Print x
<b>Space</b>	Paper Feed	Paper Feed	Paper Feed	Paper Feed
<b>⇧ Space</b>	Print Space	Print Space	Print Space	Print Space
<b>⇧ R</b>	Print Registers	Print Registers	Print Registers	Print Registers
<b>⇧ S</b>	Print Stack	Print Stack	Print Stack	Print Stack
<b>⇧ K</b>	Stack Display	Stack Display	Stack Display	Toggle Registers
<b>⇧ B</b>		Print Labels & Flags	Print Labels & Flags	Print Labels & Flags
<b>⇧ P</b>		Print Program	Print Program	Print Program
<b>⇧ ^ P</b>		Print Prog from Top	Print Prog from Top	Print Prog from Top
<b>^L or L</b>		LBL	LBL	LBL
<b>⇧ ^ L</b>			LBL f	
<b>^G or B</b>		GSB	GSB	GSB
<b>⇧ ^ G or ⇧ B</b>			GSB f	
<b>⇧ G</b>		GTO .	GTO .	GTO .
<b>⇧ L</b>	Last X	Last X	Last X	Last X
<b>⇧ P</b>	π	π	π	π
<b>⇧ S</b>	SIN	SIN	SIN	SIN
<b>⇧ C</b>	COS	COS	COS	COS
<b>⇧ T</b>	TAN	TAN	TAN	TAN

## RPN Keyboard Commands v1.2

CALCULATOR				
Keyboard	RPN-45	RPN-65	RPN-67	RPN-97
$\wedge$ I	INT	INT	(i)	(i)
$\wedge$ I	FRAC	FRAC	RC I	I
$\wedge$ $\swarrow$ I	Info	DSZ	DSZ (i)	DSZ (i)
$\wedge$ $\swarrow$ I		DSZ	DSZ	DSZ I
$\wedge$ $\swarrow$ $\text{‰}$ I			ISZ (i)	ISZ (i)
$\wedge$ $\swarrow$ $\text{‰}$ I			ISZ	ISZ I
I	1/x	1/x	1/x	1/x
Q	$x^2$	$x^2$	$x^2$	$x^2$
O	$\sqrt{x}$	$\sqrt{x}$	$\sqrt{x}$	$\sqrt{x}$
%	%	%	%	%
$\swarrow$ %	$\Delta\%$	% CH	% CH	% CH
D	$\Delta\%$	DSP	DSP	DSP
\$	$\Sigma+$	ABS	$\Sigma+$	$\Sigma+$
$\wedge$ \$	$\Sigma-$	NOP	$\Sigma-$	$\Sigma-$
$\wedge$ 1 / 2 / 3	Ribbon blk / blu / grn	Ribbon blk / blu / grn	Ribbon blk / blu / grn	Ribbon blk / blu / grn
$\wedge$ P	Paper Mode	Paper Mode	Paper Mode	Paper Mode
$\wedge$ M	MAN	MAN	MAN	MAN
$\wedge$ T	TRACE	TRACE	TRACE	TRACE
$\wedge$ N	NORM	NORM	NORM	NORM
$\wedge$ S	Print Stack	Step Display on/off	Step Display on/off	Step Display on/off
$\wedge$ $\swarrow$ F	FIX	DSP .	FIX	FIX
$\wedge$ $\swarrow$ S	SCI	DSP	SCI	SCI
$\wedge$ $\swarrow$ E	ENG	DSP +	ENG	ENG

## RPN Keyboard Commands v1.2

CARD MANAGER		
Keyboard	RPN-65/67/97	Notes
⌘ ▲ or ▼	Previous or Next Card	Works on full list or search results
⌘ ◀ or ▶	Previous or Next Category	First card of current or previous category <i>or</i> First card of next category or last card of last category
⌘ ⌘ ▲ or ◀	Top Card	First card of first category
⌘ ⌘ ▶ or ▼	Toggle Prog/Data Card	Change from program to data cards, and vice versa
⌘ F	Find Card	<b>Tab:</b> changes search scope ↩ : selects first search result
⌘ ↩	Select Card	Ends search mode and selects card
⌘ C	Back to Calculator	
⌘ L	Load Card	Also <b>Merge Card</b> (RPN-67/97)
⌘ W	Write Card	
⌘ T	Edit Title	Automatically unprotects card
⌘ D	Edit Description	Automatically unprotects card
⌘ P	Edit Program or Registers	<b>RUN:</b> Automatically unprotects card <b>W/PRGM:</b> Shows card or calculator content
⌘ I	Edit Instructions or Notes	Automatically unprotects card
⌘ ⌘ P	Protect or Content	<b>RUN:</b> Toggles card protection on/off <b>W/PRGM:</b> Shows card or calculator content
⌘ ?	Keyboard Commands	Show/hide list of <b>card detail commands</b> in <i>Instructions</i>

## RPN Keyboard Commands v1.2

TEXT Helper		
⌘ C	Back to Calculator	
⌘ S	Quit & Insert <i>or</i> Replace Text	Stores text after defined step value
⌘ T	Edit Text	Start entering free text
⌘ ◀ <i>or</i> ▶	Previous <i>or</i> Next Alignment	
⌘ R	First Register	Allows entering start register value
⌘ F	Fetch Text	Gets existing text at start register
⌘ I	Insert <i>or</i> Replace Code	Allows entering step value
⌘ M	Mode	Toggles Insert/Replace mode
⌘ N	Numeric Character	Allows entering character value
⌘ U	Use Character	Adds character defined by value to text
⌘ L	List of Characters	Displays list of character values
⌘ I	Edit Instructions <i>or</i> Notes	Automatically unprotects card
⌘ P	PLOT C Position	Allows entering line position for PLOT C command
⌘ O	OP TEXT	Adds or removes OP TEXT code

## RPN Keyboard Commands v1.2

OFTEN-USED COMMANDS (RPN-65/67/97)		
Command	Keys	Notes
New Program	⇧ ^ ⌵ N	Turns calc on, ejects card, sets W/PRGM mode, clears program memory
Clear Program	⇧ ⌵ N	Sets W/PRGM mode, clears program memory
LBL A	^ L A	Hold <b>control</b> key depressed, then type <b>L A</b>
LBA a	^ L ⇧ A	Press <b>control</b> , type <b>L</b> , add <b>shift</b> , type <b>A</b> (RPN-65 and -97 only)
	^ ⌵ L ^ A	Press <b>control &amp; option</b> , type <b>L</b> , release <b>option</b> , type <b>A</b> (RPN-67 only)
GSB C	^ C	
	B ^ C	
GSB c	⇧ ^ C	(RPN-65, -67 and -97)
	B ⇧ ^ C	(RPN-65 and -97 only)
	⌵ B ^ C	(RPN-67 only)
LBL 1	L 1	
GSB 2	B 2	
GTO 3	T 3	
GTO.123	⌵ G 1 2 3	Go to step 123 (Press <b>option</b> , type <b>G</b> , release keys, type <b>1 2 3</b> )
RTN	N	
BST	⌵ ▲	
SST	⌵ ▼	
Prev Label	^ ◀	Works in both RUN and PRGM mode
Next Label	^ ▶	Works in both RUN and PRGM mode
Step 000	^ ▲	Also ⌵ G 0 0 0 (Press <b>option</b> , type <b>G</b> , release keys, type <b>0 0 0</b> )
Last Step	^ ▼	Also ⌵ G . (Press <b>option</b> , type <b>G</b> , release keys, type decimal point)

### NOTES

- If some keys don't work as expected: make sure the **language** of the keyboard and the iPad match (press globe key left of the control-key to change)
- **Common shortcuts** are also available:
 

⌘ C	Copy	⌘ X	Cut
⌘ V	Paste	⌘ . or Esc	Cancel
- Some keyboards have direct < and > keys, but they may not work. Use ⇧, and ⇧. instead.
- ☒ = delete, ↵ = return